

INDIAN INSTITUTE OF INTEGRATIVE MEDICINE (IIM), JAMMU
(COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH)

NAME OF WORK: - Proposal for Internal Aluminum Partition chamber in existing Cancer Pharmacology Division and Plant Biotechnology Division at IIM, Jammu.

SCHEDULE OF QUANTITIES

S.N.	DESCRIPTION	QTY.	UNIT	RATE	AMOUNT
1.	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion, Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	345.03	Kg		
2.	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	47.04	Kg		

3.	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides.	13.84	Sqm		
4.	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With single glass panes of 5.50 mm thickness	28.05	Sqm		
5.	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	3.00	Nos.		
6.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 200x10 mm	3.00	Nos.		
7.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm	6.00	Nos.		

8.	Providing and fixing special quality chromium plated sliding wheel redo set for sliding doors, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc. complete.	3.00	Nos.		
----	--	------	------	--	--

Note:

- 1. Contractor shall have to carry out cleaning of floor, doors, windows etc. after completion of white washing and painting work.**
- 2. The contractor will have to use only Jindal make Anodised aluminium section IS: 1868.**

Rates shall be quoted in figures and words both for each item. Calculation of the amount of each item and total cost shall be written by the contractor in BOQ of the tender document clearly, failing which tender may be rejected.

Signature of Contractor