

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687704653982

अनुबंध तिथि | Generated Date : 16-Jan-2026

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2025/B/5950801](#)

संगठन विवरण   Organisation Details		खरीदार विवरण   Buyer Details	
प्ररूप   Type :	Central Autonomous	पद   Designation :	SSA
मंत्रालय   Ministry :	Ministry of Science and Technology	संपर्क नंबर   Contact No. :	-
विभाग   Department :	Department of Scientific and Industrial Research (DSIR)	ईमेल आईडी   Email ID :	r.chowdhary@iim.res.in
संगठन का नाम   Organisation Name :	Council of Scientific and Industrial Research (CSIR)	जीएसटीआईएन   GSTIN :	-
कार्यालय क्षेत्र   Office Zone:	Csir-indian Institute Of Integrative Medicine	पता   Address :	Canal Road, Jammu, Jammu, JAMMU & KASHMIR-180001, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail		भुगतान प्राधिकरण विवरण   Paying Authority Details	
आईएफडी सहमति   IFD Concurrence :	No	Role:	PAO
प्रावासनिक अनुमोदन का पदनाम	Director	भुगतान का तरीका	Internet Banking
Designation of Administrative Approval:	Director	Payment Mode:	
वित्तीय अनुमोदन का पदनाम	Director	पद   Designation :	SOFA
Designation of Financial Approval :		ईमेल आईडी   Email ID :	so.faiiim@iim.res.in
		जीएसटीआईएन   GSTIN :	-
		पता   Address:	Canal Road, Jammu, Jammu, JAMMU & KASHMIR-180001, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID :	450D180000091042
कंपनी का नाम   Company Name :	NETWEB TECHNOLOGIES INDIA LIMITED
संपर्क नंबर   Contact No. :	08447620566
ईमेल आईडी   Email ID :	arjunsirohi@netwebindia.com
पता   Address :	Plot No H-1 H-2,Pocket-9, Faridabad Industrial Town, Sector 57, Faridabad, Faridabad, HARYANA-121004, -
एमएसएमई पंजीकरण संख्या   MSME Registration number :	-
जीएसटीआईएन   GSTIN:	06AABCN4805A1Z3 (R), (M)
खरीदार द्वारा मूल्यांकित एमआईआई स्थिति   MII Status as evaluated by buyer :	Not Verified
खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer :	Not Verified

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश   Delivery Instructions : NA	
उत्पाद विवरण   Product Details	

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Tyrone 2 X Intel DDR5 32 GB ब्रांड   Brand : Tyrone ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Server (Q2) मॉडल   Model: Tyrone Camarero SDI200C2G-48 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	2,590,906.36	NA	2,590,906.36
कुल ऑर्डर मूल्य   Total Order Value (in INR)						2,590,906.36

प्रेषिती विवरण   Consignee Detail						
क्र.सं.   S.No	प्रेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनोंके बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : - ईमेल आईडी   Email ID : r.chowdhary@iim.res.in					

1	संपर्क  Contact :- जीएसटीआईएन  GSTIN :- पता  Address : Canal Road, Jammu, Jammu, JAMMU & KASHMIR-180001, India	Tyrone 2 X Intel DDR5 32 GB	-	1	16-Jan-2026	02-Mar-2026
<b>Product Specification for Tyrone 2 X Intel DDR5 32 GB</b>						
<b>विवरण Specification</b>		<b>उप-विवरण Sub-Spec</b>	<b>मूल्य Value</b>			
Chassis	Form Factor		Tower			
	Size (RU)		4			
Processor	Processor Architecture		CISC(X86)			
	Processor Make		Intel			
	Number of Cores per Processor		16			
	Processor Base Frequency (GHz)		2.5			
	Processor Turbo Frequency (GHz)		4.1			
	Total Cache (L1+L2+L3)(MB)		37.5			
	Processor Description/ Number		Intel Xeon Gold 6426Y			
Motherboard	Chipset compatible with CPU		Intel C621			
	Expansion Slots Gen 3 (PCIe x1)		0			
	Expansion Slots Gen 3 (PCIe x4)		0			
	Expansion Slots Gen 3 (PCIe x8)		0			
	Expansion Slots Gen 3 (PCIe x16)		2			
	Maximum number of Sockets available on Server		2			
	Maximum number of Sockets populated with Processors available on Server		2			
Co Processor / GPU	Availability of Co Processor /GPU		No			
	If Yes, Maximum Number of Slots available for Co-Processor/GPU		0			
	If Yes, Maximum Number of slots populated with Co processor/GPU		0			
	If Yes, Co Processor /GPU Description		NA			
Memory	Type of RAM		DDR5			
	Total Number of DIMM Slots available		16			
	Number of DIMM Slots populated with DDR SDRAM		1			
	Number of DIMM Slots populated with DDR NVRAM		0			
	DDR SDRAM Size(GB)		32			
	DDR NVRAM Size (GB)		0			
	DDR SDRAM upgradable upto using spare DIMM Slots (GB)		512			
	DDR NVRAM upgradable upto using spare DIMM Slots (GB)		0			
SSD Storage	Type of Interface for SSD		M.2/NVMe			
	Type of SATA SSD		NA			
	SATA SSD Hot Swappable		NA			
	Endurance for SATA SSD (DWPD - Drive Writes Per Day) (X)		0			
	Total Number of Slots available for SATA SSD		0			
	Number of Slot Populated with SATA SSD		0			
	Capacity offered per SATA SSD (GB)		0			
	Total Capacity Offered with SATA SSD (GB)		0			
	Type of SAS SSD		NA			
	SAS SSD Hot Swappable		NA			
	Endurance for SAS SSD (DWPD - Drive Writes Per Day) (X)		0			
	Total Number of Slots available for SAS SSD		0			
	Number of Slots populated with SAS SSD		0			
	Capacity Offered per SAS SSD (GB)		0			
	Total Capacity Offered with SAS SSD (GB)		0			

Type of NVMe SSD	NA	
NVMe SSD Hot Swappable	No	
Endurance for NVMe SSD (DWPD - Drive Writes Per Day) (X)	0	
Total Number of Slots available for NVMe SSD	1	
Number of Slots populated with NVMe SSD	1	
Capacity Offered per NVMe SSD (GB)	1920	
Total Capacity Offered with NVMe SSD (GB)	1920	
HDD Storage	Type of Interface for Hard Disk Drive	SATA
	Total number of Slots available for SATA Drive	2
	Number of Slots populated with SATA Drive	0
	Capacity offered per SATA Drive (GB)	0
	SATA drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with SATA Drive (GB)	0
	Total number of slots available for SAS drive	0
	Number of Slots populated with SAS Drive	0
	Capacity offered per SAS Drive (GB)	0
	SAS drive Speed (Hot plug or better) (RPM)	NA
	Total Storage Capacity offered with SAS Drive (GB)	0
	Total number of slots available for NL SAS drive	0
	Number of Slots populated with NL SAS Drive	0
	Capacity offered per NL SAS Drive	0
	NL SAS drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with NL SAS Drive (GB)	0
RAID	RAID level	0
	No of RAID Controller Ports	8
	Speed of RAID Controller Ports (Gbps)	12
	RAID Controller Cache (GB)	0
Ports & Interfaces	Network Card Supported	1G
	Number of Networking Interface Cards (LAN)	2
	Whether Network Interface Card Embedded	Yes
	Total Number of Ethernet Ports required in Server	1x1G
	Networking Interface Card Features	Asset Feature Tracking,Security Management,Remote Wake up
	Server Network Ports should Support SR-IOV Feature	No
	Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	No
	Number of Single port FC HBA card	0
	Number of Dual port FC HBA card	0
	Number of Quad port FC HBA card	0
	FC HBA Speed (Gbps)	NA
	vHBA Card Features Supported	No
	Number of Converged Network Adaptor (CNA)	0
	Number of Ports per CNA card	NA
	CNA Port Speed (Gbps)	0
	Length of LC-LC Cable per SFP+ Port (meter)	0
	Length of LC-LC Cable per HBA Port (meter)	0
	Length of LC-LC Cable per CNA Port (meter)	0
	Length of Twinax Breakout Cables per Port (meter)	0

	Video Controller (support VGA or above resolution)	No
	Keyboard Port	No
	Mouse Port	No
	DVD ROM (Internal/External)	No
	USB Ports (version 2point0/3point0)	3
	Total number of Spare Bays Available for Future Upgradation (Internal)	0
	Total number of Spare Bays Available for Future Upgradation (Hot Plugable)	0
Certifications	Certifications/Compliance (OS)	Windows
	Certification/Compliance (Virtualization/Cloud Platform)	OpenStack
Features	Management Features-1	Remoter power On/ Shutdown of server,,Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,,Should have virtual Media support with all required licenses.,,Remote KVM,Server Health Logging,Out of Band Management
	Management Features-2	Platfrom inventory and helath status
	Security Features-1	Secure Boot(Firmware and Bios Level Security),Provision to lock the system on breach,Hardware root of trust/Dual Root of Trust,Server should provide policy based security,Server should provide server intrusion detection,,"Malicious Code Free design" (to be certified by OEM)
	Security Features-2	Network Card secure firmware boot
	Server scalability to be achived within the box & without adding nodes	Yes
	support for high availability clustering and virtualization	Yes
Generic	Redundant Power Supply	Yes
	Hot Swappable (Redundant Power Supply)	Yes
	Power Supply Efficiency	Platinum
	Redundant Fan	Yes
	Hot Swappable (Redundant Fan)	No
	Server Main Supply	230 +/- 10%Vac
Benchmark	SPEC int_rate_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	0
	SPEC fp_rate_2017 for the product (must be available on SPEC dot ORG before evaluation)	0
	SPEC int_speed_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	0
	SPEC fp_speed_2017 for the product (must be available on SPEC dot ORG before evaluation)	0
Miscellaneous	Maximum power consumption of the system (Watts)	2000
	BIS Registration under CRS of MeitY	Yes
	BIS Registration Number Under CRS of MeitY and its validity	R-91000310 05-10-26
	Other Certifications Available	UL/EN/CE/IEC-60950 for Safety,E-Waste Regulation Compliance/Registration
	RoHS Compliance	Yes
	Availability of the type test report from Central Government / NABL / ILAC accredited laboratory covering verification of all features & functional parameters & environmental tests sequence	No
	a) Dry heat:test - for 16 hrs at 45 deg C as per IS: 9000/pt-3/sec-5/1977 b) Cold test - for 4 hrs at 0 deg C as per IS: 9000/pt-2/sec-4/1977 c) Damp Heat Cyclic Test - for 2 cycles of 24 hrs at 40 deg C & 95% RH as per IS: 9000/pt-5/sec-1/1981	NA
	The server has been checked for all the parameters before conditioning, After completion of the environmental tests sequence, with a recovery period of 1 to 2 hrs, the server found to be functional	NA
	Test Report Number & date	NA
	Name & Address of Lab	NA
Scope of Supply	Installation and Commissioning shall be included in the scope of supply	Yes

Warranty	On Site OEM Warranty (Year)	3
उत्पाद का बीजाइएस लाइसेंस   BIS license of the product: 91000310		
खरीदार परिभ्रष्ट अतिरिक्त विशेषता के लिए   Buyer Defined Additional Specification for Tyrone 2 X Intel DDR5 32 GB		
विवरण   Specification	मूल्य   Value	
Detailed Technical Specifications	Detailed Technical Specifications are mentioned in the buyer added bid specific ATC document.	
शुद्धिपत्र   Corrigendum		
1. तक बढ़ाया गया   Extended Upto : 2025-03-03 10:00:00 2. तक बढ़ाया गया   Extended Upto : 2025-03-04 16:00:00		
ईपीबीजी विवरण   ePBG Detail		
सलाहकार बैंक   Advisory Bank :		State Bank of India
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):		3.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा   The bidder shall furnish ePBG as applicable as per bid's terms and conditions		
नियम और शर्तें   Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.		
2. Buyer Added Bid Specific Terms and Conditions-		
2.1 <i>Generic</i> OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} - \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.		
2.2 <i>Scope of Supply</i> : Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods		
2.3 <i>Certificates</i> : Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.		
2.4 <i>Certificates</i> : The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.		
2.5 <i>Certificates</i> : To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): Scan copy of the EMD, Technical brochure of the quoted product and standard forms as per the ATC document are mandatory to upload along with the technical bid.		
2.6 <i>Buyer Added Bid Specific ATC</i> : Buyer uploaded ATC document <a href="#">Click here to view the file</a> .		
2.7 <i>Forms of EMD and PBG</i> : Bidders can also submit the EMD with Account Payee Demand Draft in favour of		
CSIR-Indian Institute of Integrative Medicine, Jammu payable at Jammu		
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.		
2.8 <i>Forms of EMD and PBG</i> : Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C		
CSIR-Indian Institute of Integrative Medicine, Jammu . The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date		

**2.9 Forms of EMD and PBG:**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

CSIR-Indian Institute of Integrative Medicine, Jammu  
payable at  
Jammu

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

**2.10 Forms of EMD and PBG:**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

CSIR-Indian Institute of Integrative Medicine, Jammu

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

**2.11 Warranty:**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**Note:** Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

**नोट:** यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

**Note:** This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.